



TECHNICAL INFORMATION

- ENCLOSURE: WPII
- BEARING LUBRICATION:
 DRIVE END: OIL
 NON DRIVE END : OIL
- THRUST LOAD CAPACITY:
 _____ KG CONTINUOUS DOWN
 _____ KG MOMENTARY DOWN
 _____ KG INSTANTANEOUS UP
- ROTATION: _____
 VIEW FROM NON-DRIVE END
- _____ NONREVERSE RATCHET MECHANISM

SHAFT END DIMENSIONS

VIEW FROM DRIVE END

Preliminary Drawing for Reference Only

| | | | | | | | |
|------------------------|---------------------------------|-------------|-----------|-------------|-------------|---|----------------|
| ADDITIONAL INFORMATION | CERTIFIED BY: _____ DATE: _____ | | | | | BEARING | PROTECTION |
| | OUTPUT | POLES | VOLTS | FREQ. | SYN. SPEED | LOAD SIDE | APPROX. WEIGHT |
| | | | | Hz | r/min | 6044 | MOTOR |
| | TYPE | FORM | INS.CLASS | RATING | FRAME | FLANGE | OPP.L.SIDE |
| | TIK | VCKTWII | F | S1 | N5014V | 29340 | 9800 kg |
| | | REV.MARK | | APPROVED BY | CHECKED BY | TITLE OUTLINE FOR THREE PHASE INDUCTION MOTOR | |
| | | DATE | | T.F.CHENG | T.F.CHENG | | |
| | | APPROVED BY | | FEB.11.2011 | FEB.11.2011 | | |
| | | REVISED BY | | DESIGNED BY | DRAWN BY | | |
| | | | UNITS | C.Y.WEN | C.Y.WEN | DRAWING NO. | |
| | | CONTENT | MM | FEB.11.2011 | FEB.11.2011 | AL-VB-1783 | |
| | | | | | | | REV.MARK |
| | | | | | | | (00) |